

Supplementary File B Subgroup's analysis

Symptoms and laboratory findings according to age Class

(3) Vomiting


Yes (1)

No (0)

* Age_ Classification Crosstabulation

		Age_ Classification							Total	
		Age_1 (<2 years)	Age_1 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)		
(3) Vomiting Yes (1) No (0)	0	Count	42	18	18	33	50	93	26	280
		% within (3) Vomiting	15.0%	6.4%	6.4%	11.8%	17.9%	33.2%	9.3%	100.0%
		Yes (1)								
		No (0)								
		% within Age_ Classification	20.4%	18.2%	20.9%	23.6%	34.2%	32.2%	27.4%	26.4%
		% of Total	4.0%	1.7%	1.7%	3.1%	4.7%	8.8%	2.5%	26.4%
1		Count	164	81	68	107	96	196	69	781
		% within (3) Vomiting	21.0%	10.4%	8.7%	13.7%	12.3%	25.1%	8.8%	100.0%
		Yes (1)								
		No (0)								
		% within Age_ Classification	79.6%	81.8%	79.1%	76.4%	65.8%	67.8%	72.6%	73.6%
		% of Total	15.5%	7.6%	6.4%	10.1%	9.0%	18.5%	6.5%	73.6%
Total		Count	206	99	86	140	146	289	95	1061
		% within (3) Vomiting	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%
		Yes (1) No (0)								


% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%



(4) Abdominal cramps
Yes (1)
No (0) * Age_ Classification Crosstabulation

		Age_ Classification							Total	
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)		
(4) Abdominal cramps	0	Count	159	56	35	60	48	89	38	485
	Yes (1)	% within (4) Abdominal cramps	32.8%	11.5%	7.2%	12.4%	9.9%	18.4%	7.8%	100.0%
		No (0)								
	No (0)	% within Age_ Classification	77.2%	56.6%	40.7%	42.9%	32.9%	30.8%	40.0%	45.7%
		% of Total	15.0%	5.3%	3.3%	5.7%	4.5%	8.4%	3.6%	45.7%
	1	Count	47	43	51	80	98	200	57	576
Yes (1)	% within (4) Abdominal cramps	8.2%	7.5%	8.9%	13.9%	17.0%	34.7%	9.9%	100.0%	
	No (0)									


	% within Age_ Classification	22.8%	43.4%	59.3%	57.1%	67.1%	69.2%	60.0%	54.3%
	% of Total	4.4%	4.1%	4.8%	7.5%	9.2%	18.9%	5.4%	54.3%
Total	Count	206	99	86	140	146	289	95	1061
	% within (4) Abdominal cramps	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%
	Yes (1)								
	No (0)								
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%



(5) Fever
Yes (1)
No (0) * Age_ Classification Crosstabulation

		Age_ Classification							Total	
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)		
(5) Fever	0	Count	172	70	55	82	103	216	86	784
Yes (1)		% within (5) Fever	21.9%	8.9%	7.0%	10.5%	13.1%	27.6%	11.0%	100.0%
No (0)		Yes (1)								
		No (0)								

	% within Age_ Classification	83.5%	70.7%	64.0%	58.6%	70.5%	74.7%	90.5%	73.9%
	% of Total	16.2%	6.6%	5.2%	7.7%	9.7%	20.4%	8.1%	73.9%
1	Count	34	29	31	58	43	73	9	277
	% within (5) Fever Yes (1) No (0)	12.3%	10.5%	11.2%	20.9%	15.5%	26.4%	3.2%	100.0%
	% within Age_ Classification	16.5%	29.3%	36.0%	41.4%	29.5%	25.3%	9.5%	26.1%
	% of Total	3.2%	2.7%	2.9%	5.5%	4.1%	6.9%	0.8%	26.1%
Total	Count	206	99	86	140	146	289	95	1061
	% within (5) Fever Yes (1) No (0)	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%




**(6) Dehydration
Yes (1)
No (0) * Age_ Classification Crosstabulation**

Age_ Classification


Total

			Age_1 (<2 years)	Age_1 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)		
(6) Dehydration	0	Count	146	71	69	111	123	210	64	794	
		% within (6) Dehydration	18.4%	8.9%	8.7%	14.0%	15.5%	26.4%	8.1%	100.0%	
		Yes (1)									
		No (0)									
		% within Age_ Classification	70.9%	71.7%	80.2%	79.3%	84.2%	72.7%	67.4%	74.8%	
	% of Total	13.8%	6.7%	6.5%	10.5%	11.6%	19.8%	6.0%	74.8%		
	1	Count	60	28	17	29	23	79	31	267	
		% within (6) Dehydration	22.5%	10.5%	6.4%	10.9%	8.6%	29.6%	11.6%	100.0%	
		Yes (1)									
		No (0)									
% within Age_ Classification		29.1%	28.3%	19.8%	20.7%	15.8%	27.3%	32.6%	25.2%		
% of Total	5.7%	2.6%	1.6%	2.7%	2.2%	7.4%	2.9%	25.2%			
Total	Count	206	99	86	140	146	289	95	1061		
	% within (6) Dehydration	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%		
	Yes (1)										
	No (0)										
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%		
% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%			



**(7) Other
Yes (1)
No (0) * Age_ Classification Crosstabulation**

		Age_ Classification								
		Age_1 (<2 years)	Age_1 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)	Total	
(7) Other	0	Count	196	98	84	118	117	234	75	922
Yes (1)		% within (7) Other	21.3%	10.6%	9.1%	12.8%	12.7%	25.4%	8.1%	100.0%
No (0)		Yes (1)								
		No (0)								
		% within Age_ Classification	95.1%	99.0%	97.7%	84.3%	80.1%	81.0%	78.9%	86.9%
		% of Total	18.5%	9.2%	7.9%	11.1%	11.0%	22.1%	7.1%	86.9%
	1	Count	10	1	2	22	29	55	20	139
		% within (7) Other	7.2%	0.7%	1.4%	15.8%	20.9%	39.6%	14.4%	100.0%
		Yes (1)								
		No (0)								
		% within Age_ Classification	4.9%	1.0%	2.3%	15.7%	19.9%	19.0%	21.1%	13.1%
		% of Total	0.9%	0.1%	0.2%	2.1%	2.7%	5.2%	1.9%	13.1%
Total		Count	206	99	86	140	146	289	95	1061
		% within (7) Other	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%
		Yes (1)								
		No (0)								
		% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%



severity of dehydration

(1) Severe (General Inspection: Lethargic, unconscious, floppy, Eyes: Sunken, dry, tears absent, Unable to drink, drinks poorly)


(2) Some (Restless, irritable, Sunken, tears absent, Thirsty, drinks eagerly)

(3) None (General Inspection Well, alert, Skin Pinch Normal, Eyes Normal, tears present, Tongue Moist, No thirst) * Age_ Classification Crosstabulation

		Age_ Classification								
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)	Total	
severity of dehydration	1	Count	41	26	11	15	11	44	26	174

(1) Severe (General Inspection: Lethargic, unconscious, floppy, Eyes: Sunken, dry,tears absent, Unable to drink, drinks poorly) (2) Some (Restless, irritable, Sunken, tears absent, Thirsty, drinks eagerly) (3) None (General Inspection Well, alert, Skin Pinch Normal, Eyes Normal, tears present, Tongue Moist, No thirst)	% within severity of dehydration	23.6%	14.9%	6.3%	8.6%	6.3%	25.3%	14.9%	100.0%	
	(1) Severe (General Inspection: Lethargic, unconscious, floppy, Eyes: Sunken, dry,tears absent, Unable to drink, drinks poorly)									
	(2) Some (Restless, irritable, Sunken, tears absent, Thirsty, drinks eagerly)									
	(3) None (General Inspection Well, alert, Skin Pinch Normal, Eyes Normal, tears present, Tongue Moist, No thirst)									
	% within Age_ Classification	21.6%	27.7%	13.8%	11.4%	8.0%	15.9%	28.0%	17.3%	
	% of Total	4.1%	2.6%	1.1%	1.5%	1.1%	4.4%	2.6%	17.3%	
	2	Count	90	37	34	64	59	164	59	507
	% within severity of dehydration	17.8%	7.3%	6.7%	12.6%	11.6%	32.3%	11.6%	100.0%	
	(1) Severe (General Inspection: Lethargic, unconscious, floppy, Eyes: Sunken, dry,tears absent, Unable to drink, drinks poorly)									
	(2) Some (Restless, irritable, Sunken, tears absent, Thirsty, drinks eagerly)									
(3) None (General Inspection Well, alert, Skin Pinch Normal, Eyes Normal, tears present, Tongue Moist, No thirst)										
% within Age_ Classification	47.4%	39.4%	42.5%	48.5%	43.1%	59.2%	63.4%	50.5%		
% of Total	9.0%	3.7%	3.4%	6.4%	5.9%	16.4%	5.9%	50.5%		
3	Count	59	31	35	53	67	69	8	322	

	% within severity of dehydration (1) Severe (General Inspection: Lethargic, unconscious, floppy, Eyes: Sunken, dry,tears absent, Unable to drink, drinks poorly) (2) Some (Restless, irritable, Sunken, tears absent, Thirsty, drinks eagerly) (3) None (General Inspection Well, alert, Skin Pinch Normal, Eyes Normal, tears present, Tongue Moist, No thirst)	18.3%	9.6%	10.9%	16.5%	20.8%	21.4%	2.5%	100.0%
	% within Age_ Classification	31.1%	33.0%	43.8%	40.2%	48.9%	24.9%	8.6%	32.1%
	% of Total	5.9%	3.1%	3.5%	5.3%	6.7%	6.9%	0.8%	32.1%
Total	Count	190	94	80	132	137	277	93	1003
	% within severity of dehydration (1) Severe (General Inspection: Lethargic, unconscious, floppy, Eyes: Sunken, dry,tears absent, Unable to drink, drinks poorly) (2) Some (Restless, irritable, Sunken, tears absent, Thirsty, drinks eagerly) (3) None (General Inspection Well, alert, Skin Pinch Normal, Eyes Normal, tears present, Tongue Moist, No thirst)	18.9%	9.4%	8.0%	13.2%	13.7%	27.6%	9.3%	100.0%
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	18.9%	9.4%	8.0%	13.2%	13.7%	27.6%	9.3%	100.0%




Hemoglobin (g/dL) Class

- 1: Less than 10
- 2: 10 - 12
- 3: 12 - 17

4: more than 17 * Age_ Classification Crosstabulation

		Age_ Classification							Total	
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)		
Hemoglobin (g/dL) Class	1	Count	104	19	10	5	15	30	14	197
		% within Hemoglobin (g/dL) Class	52.8%	9.6%	5.1%	2.5%	7.6%	15.2%	7.1%	100.0%
		% within Age_ Classification	74.3%	29.7%	16.9%	4.6%	11.9%	11.5%	16.1%	23.3%
		% of Total	12.3%	2.2%	1.2%	0.6%	1.8%	3.6%	1.7%	23.3%
	2	Count	25	30	23	40	41	58	26	243

	% within Hemoglobin (g/dL) Class 1: Less than 10 2: 10 - 12 3: 12 - 17 4: more than 17	10.3%	12.3%	9.5%	16.5%	16.9%	23.9%	10.7%	100.0%
	% within Age_ Classification	17.9%	46.9%	39.0%	37.0%	32.5%	22.2%	29.9%	28.8%
	% of Total	3.0%	3.6%	2.7%	4.7%	4.9%	6.9%	3.1%	28.8%
3	Count	11	15	25	61	67	163	45	387
	% within Hemoglobin (g/dL) Class 1: Less than 10 2: 10 - 12 3: 12 - 17 4: more than 17	2.8%	3.9%	6.5%	15.8%	17.3%	42.1%	11.6%	100.0%
	% within Age_ Classification	7.9%	23.4%	42.4%	56.5%	53.2%	62.5%	51.7%	45.8%
	% of Total	1.3%	1.8%	3.0%	7.2%	7.9%	19.3%	5.3%	45.8%
4	Count	0	0	1	2	3	10	2	18
	% within Hemoglobin (g/dL) Class 1: Less than 10 2: 10 - 12 3: 12 - 17 4: more than 17	0.0%	0.0%	5.6%	11.1%	16.7%	55.6%	11.1%	100.0%
	% within Age_ Classification	0.0%	0.0%	1.7%	1.9%	2.4%	3.8%	2.3%	2.1%
	% of Total	0.0%	0.0%	0.1%	0.2%	0.4%	1.2%	0.2%	2.1%
Total	Count	140	64	59	108	126	261	87	845
	% within Hemoglobin (g/dL) Class 1: Less than 10 2: 10 - 12 3: 12 - 17 4: more than 17	16.6%	7.6%	7.0%	12.8%	14.9%	30.9%	10.3%	100.0%
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	16.6%	7.6%	7.0%	12.8%	14.9%	30.9%	10.3%	100.0%



Platelet_Classification


- 1: Less than 15
- 2: 15 - 30
- 3: 30 - 50
- 4: 50 - 150
- 5: 150 - 450

6: more than 450 * Age_Classification Crosstabulation

Platelet_Classification	1	Count	Age_Classification					Total		
			Age_1 (<2 years)	Age_2 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)		Age_6 (30-60 years)	Age_7 (>60 years)
1: Less than 15			0	0	0	1	0	1	1	3
2: 15 - 30		% within Platelet_Classification	0.0%	0.0%	0.0%	33.3%	0.0%	33.3%	33.3%	100.0%
3: 30 - 50		1: Less than 15								
4: 50 - 150		2: 15 - 30								
5: 150 - 450		3: 30 - 50								
6: more than 450		4: 50 - 150								
		5: 150 - 450								
		6: more than 450								
		% within Age_Classification	0.0%	0.0%	0.0%	1.0%	0.0%	0.4%	1.2%	0.4%

	% of Total	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%	0.4%
2	Count	0	0	1	2	0	2	1	6
	% within Platelet_ Classification	0.0%	0.0%	16.7%	33.3%	0.0%	33.3%	16.7%	100.0%
	1: Less than 15								
	2: 15 - 30								
	3: 30 - 50								
	4: 50 - 150								
	5: 150 - 450								
	6: more than 450								
	% within Age_ Classification	0.0%	0.0%	1.8%	1.9%	0.0%	0.8%	1.2%	0.7%
	% of Total	0.0%	0.0%	0.1%	0.2%	0.0%	0.2%	0.1%	0.7%
3	Count	0	0	0	1	0	1	2	4
	% within Platelet_ Classification	0.0%	0.0%	0.0%	25.0%	0.0%	25.0%	50.0%	100.0%
	1: Less than 15								
	2: 15 - 30								
	3: 30 - 50								
	4: 50 - 150								
	5: 150 - 450								
	6: more than 450								
	% within Age_ Classification	0.0%	0.0%	0.0%	1.0%	0.0%	0.4%	2.4%	0.5%
	% of Total	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%	0.5%
4	Count	4	3	2	8	10	17	6	50
	% within Platelet_ Classification	8.0%	6.0%	4.0%	16.0%	20.0%	34.0%	12.0%	100.0%
	1: Less than 15								
	2: 15 - 30								
	3: 30 - 50								
	4: 50 - 150								
	5: 150 - 450								
	6: more than 450								
	% within Age_ Classification	2.9%	4.8%	3.5%	7.7%	8.0%	6.8%	7.1%	6.1%
	% of Total	0.5%	0.4%	0.2%	1.0%	1.2%	2.1%	0.7%	6.1%
5	Count	84	41	40	79	106	215	71	636
	% within Platelet_ Classification	13.2%	6.4%	6.3%	12.4%	16.7%	33.8%	11.2%	100.0%
	1: Less than 15								
	2: 15 - 30								
	3: 30 - 50								
	4: 50 - 150								
	5: 150 - 450								
	6: more than 450								


	% within Age_ Classification	61.3%	65.1%	70.2%	76.0%	84.8%	86.0%	83.5%	77.5%
	% of Total	10.2%	5.0%	4.9%	9.6%	12.9%	26.2%	8.6%	77.5%
6	Count	49	19	14	13	9	14	4	122
	% within Platelet_ Classification	40.2%	15.6%	11.5%	10.7%	7.4%	11.5%	3.3%	100.0%
	1: Less than 15								
	2: 15 - 30								
	3: 30 - 50								
	4: 50 - 150								
	5: 150 - 450								
	6: more than 450								
	% within Age_ Classification	35.8%	30.2%	24.6%	12.5%	7.2%	5.6%	4.7%	14.9%
	% of Total	6.0%	2.3%	1.7%	1.6%	1.1%	1.7%	0.5%	14.9%
Total	Count	137	63	57	104	125	250	85	821
	% within Platelet_ Classification	16.7%	7.7%	6.9%	12.7%	15.2%	30.5%	10.4%	100.0%
	1: Less than 15								
	2: 15 - 30								
	3: 30 - 50								
	4: 50 - 150								
	5: 150 - 450								
	6: more than 450								
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	16.7%	7.7%	6.9%	12.7%	15.2%	30.5%	10.4%	100.0%



Serum Creatinine_Classification
1: less than 0.6
2: 0.6 - 1.3
3: more than 1.3 * Age_ Classification Crosstabulation

		Age_ Classification								
		Age_1 (<2 years)	Age_1 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)	Total	
Serum Creatinine_Classification	1	Count	93	40	28	48	41	54	7	311
	1: less than 0.6	% within Serum	29.9%	12.9%	9.0%	15.4%	13.2%	17.4%	2.3%	100.0%
	2: 0.6 - 1.3	Creatinine_Classification								
	3: more than 1.3	1: less than 0.6								
		2: 0.6 - 1.3								
		3: more than 1.3								
	% within Age_ Classification	68.9%	65.6%	53.8%	44.0%	36.0%	20.9%	8.4%	38.3%	
	% of Total	11.5%	4.9%	3.4%	5.9%	5.0%	6.7%	0.9%	38.3%	
2	Count	34	14	16	50	63	135	32	344	


	% within Serum Creatinine Classification 1: less than 0.6 2: 0.6 - 1.3 3: more than 1.3	9.9%	4.1%	4.7%	14.5%	18.3%	39.2%	9.3%	100.0%
	% within Age Classification	25.2%	23.0%	30.8%	45.9%	55.3%	52.3%	38.6%	42.4%
	% of Total	4.2%	1.7%	2.0%	6.2%	7.8%	16.6%	3.9%	42.4%
3	Count	8	7	8	11	10	69	44	157
	% within Serum Creatinine Classification 1: less than 0.6 2: 0.6 - 1.3 3: more than 1.3	5.1%	4.5%	5.1%	7.0%	6.4%	43.9%	28.0%	100.0%
	% within Age Classification	5.9%	11.5%	15.4%	10.1%	8.8%	26.7%	53.0%	19.3%
	% of Total	1.0%	0.9%	1.0%	1.4%	1.2%	8.5%	5.4%	19.3%
Total	Count	135	61	52	109	114	258	83	812
	% within Serum Creatinine Classification 1: less than 0.6 2: 0.6 - 1.3 3: more than 1.3	16.6%	7.5%	6.4%	13.4%	14.0%	31.8%	10.2%	100.0%
	% within Age Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	16.6%	7.5%	6.4%	13.4%	14.0%	31.8%	10.2%	100.0%



Urea_Class
1: 10 - 50
2: more than 50 * Age_Classification Crosstabulation

		Age_Classification							Total	
		Age_1 (<2 years)	Age_1 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)		
Urea_Class 1: 10 - 50	Count	113	42	36	90	110	208	40	639	
	% within Urea_Class	17.7%	6.6%	5.6%	14.1%	17.2%	32.6%	6.3%	100.0%	
	2: more than 50	Count	25	19	15	17	7	55	44	182
		% within Urea_Class	13.7%	10.4%	8.2%	9.3%	3.8%	30.2%	24.2%	100.0%
		% within Age_Classification	18.1%	31.1%	29.4%	15.9%	6.0%	20.9%	52.4%	22.2%
% of Total	3.0%	2.3%	1.8%	2.1%	0.9%	6.7%	5.4%	22.2%		
Total	Count	138	61	51	107	117	263	84	821	


% within Urea_Class	16.8%	7.4%	6.2%	13.0%	14.3%	32.0%	10.2%	100.0%
1: 10 - 50								
2: more than 50								
% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Total	16.8%	7.4%	6.2%	13.0%	14.3%	32.0%	10.2%	100.0%



WBC_Class
1: less than 4.5
2: 4.5 - 10
3: more than 10 * Age_ Classification Crosstabulation

WBC_Class	1	Count	Age_ Classification							Total
			Age_1 (<2 years)	Age_1 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)	
1: less than 4.5		4	2	3	6	5	12	2	34	
2: 4.5 - 10		% within WBC_Class	11.8%	5.9%	8.8%	17.6%	14.7%	35.3%	5.9%	100.0%
3: more than 10		1: less than 4.5								
		2: 4.5 - 10								
		3: more than 10								
		% within Age_ Classification	3.6%	4.1%	5.8%	6.6%	4.4%	4.8%	2.5%	4.6%

	% of Total	0.5%	0.3%	0.4%	0.8%	0.7%	1.6%	0.3%	4.6%
2	Count	32	17	14	34	65	107	26	295
	% within WBC_Class	10.8%	5.8%	4.7%	11.5%	22.0%	36.3%	8.8%	100.0%
	1: less than 4.5								
	2: 4.5 - 10								
	3: more than 10								
	% within Age_Classification	29.1%	34.7%	26.9%	37.4%	57.0%	43.0%	32.9%	39.7%
	% of Total	4.3%	2.3%	1.9%	4.6%	8.7%	14.4%	3.5%	39.7%
3	Count	74	30	35	51	44	130	51	415
	% within WBC_Class	17.8%	7.2%	8.4%	12.3%	10.6%	31.3%	12.3%	100.0%
	1: less than 4.5								
	2: 4.5 - 10								
	3: more than 10								
	% within Age_Classification	67.3%	61.2%	67.3%	56.0%	38.6%	52.2%	64.6%	55.8%
	% of Total	9.9%	4.0%	4.7%	6.9%	5.9%	17.5%	6.9%	55.8%
Total	Count	110	49	52	91	114	249	79	744
	% within WBC_Class	14.8%	6.6%	7.0%	12.2%	15.3%	33.5%	10.6%	100.0%
	1: less than 4.5								
	2: 4.5 - 10								
	3: more than 10								
	% within Age_Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	14.8%	6.6%	7.0%	12.2%	15.3%	33.5%	10.6%	100.0%



RandomGlucose_Class

1: less than 70


2: 70 - 120

3: 120 - 200

4: more than 200 * Age_ Classification Crosstabulation

		Age_ Classification								
		Age_1 (<2 years)	Age_2 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)	Total	
RandomGlucose_Class	1	Count	7	1	1	4	6	9	4	32
		% within RandomGlucose_Class	21.9%	3.1%	3.1%	12.5%	18.8%	28.1%	12.5%	100.0%
	1: less than 70									
	2: 70 - 120									
	3: 120 - 200									
	4: more than 200									
		% within Age_ Classification	13.5%	5.0%	6.7%	5.6%	5.6%	3.8%	5.1%	5.5%
		% of Total	1.2%	0.2%	0.2%	0.7%	1.0%	1.6%	0.7%	5.5%
	2	Count	29	10	10	56	93	134	33	365

	% within RandomGlucose_Class	7.9%	2.7%	2.7%	15.3%	25.5%	36.7%	9.0%	100.0%
	1: less than 70								
	2: 70 - 120								
	3: 120 - 200								
	4: more than 200								
	% within Age_Classification	55.8%	50.0%	66.7%	77.8%	86.1%	57.3%	42.3%	63.0%
	% of Total	5.0%	1.7%	1.7%	9.7%	16.1%	23.1%	5.7%	63.0%
3	Count	15	7	4	11	8	74	31	150
	% within RandomGlucose_Class	10.0%	4.7%	2.7%	7.3%	5.3%	49.3%	20.7%	100.0%
	1: less than 70								
	2: 70 - 120								
	3: 120 - 200								
	4: more than 200								
	% within Age_Classification	28.8%	35.0%	26.7%	15.3%	7.4%	31.6%	39.7%	25.9%
	% of Total	2.6%	1.2%	0.7%	1.9%	1.4%	12.8%	5.4%	25.9%
4	Count	1	2	0	1	1	17	10	32
	% within RandomGlucose_Class	3.1%	6.3%	0.0%	3.1%	3.1%	53.1%	31.3%	100.0%
	1: less than 70								
	2: 70 - 120								
	3: 120 - 200								
	4: more than 200								
	% within Age_Classification	1.9%	10.0%	0.0%	1.4%	0.9%	7.3%	12.8%	5.5%
	% of Total	0.2%	0.3%	0.0%	0.2%	0.2%	2.9%	1.7%	5.5%
Total	Count	52	20	15	72	108	234	78	579
	% within RandomGlucose_Class	9.0%	3.5%	2.6%	12.4%	18.7%	40.4%	13.5%	100.0%
	1: less than 70								
	2: 70 - 120								
	3: 120 - 200								
	4: more than 200								
	% within Age_Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	9.0%	3.5%	2.6%	12.4%	18.7%	40.4%	13.5%	100.0%



serum potassium Classification


1: less than 3.5

2: 3.5 - 5

3: more than 5 * Age_ Classification Crosstabulation

		Age_ Classification								
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)	Total	
serum potassium Classification	1	Count	59	34	21	23	37	65	31	270
	1: less than 3.5	% within serum potassium Classification	21.9%	12.6%	7.8%	8.5%	13.7%	24.1%	11.5%	100.0%
	2: 3.5 - 5									
	3: more than 5									
		% within Age_ Classification	43.4%	55.7%	40.4%	21.9%	29.8%	25.8%	35.6%	33.0%
	% of Total	7.2%	4.2%	2.6%	2.8%	4.5%	8.0%	3.8%	33.0%	
2	Count	71	25	31	82	86	171	50	516	


	% within serum potassium Classification 1: less than 3.5 2: 3.5 - 5 3: more than 5	13.8%	4.8%	6.0%	15.9%	16.7%	33.1%	9.7%	100.0%
	% within Age_ Classification	52.2%	41.0%	59.6%	78.1%	69.4%	67.9%	57.5%	63.2%
	% of Total	8.7%	3.1%	3.8%	10.0%	10.5%	20.9%	6.1%	63.2%
3	Count	6	2	0	0	1	16	6	31
	% within serum potassium Classification 1: less than 3.5 2: 3.5 - 5 3: more than 5	19.4%	6.5%	0.0%	0.0%	3.2%	51.6%	19.4%	100.0%
	% within Age_ Classification	4.4%	3.3%	0.0%	0.0%	0.8%	6.3%	6.9%	3.8%
	% of Total	0.7%	0.2%	0.0%	0.0%	0.1%	2.0%	0.7%	3.8%
Total	Count	136	61	52	105	124	252	87	817
	% within serum potassium Classification 1: less than 3.5 2: 3.5 - 5 3: more than 5	16.6%	7.5%	6.4%	12.9%	15.2%	30.8%	10.6%	100.0%
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	16.6%	7.5%	6.4%	12.9%	15.2%	30.8%	10.6%	100.0%



SodiumSerum_Class
1: less than 135
2: 135 - 145
3: more than 145 * Age Classification Crosstabulation

		Age Classification								
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)	Total	
SodiumSerum_Class	1	Count	76	32	22	42	47	98	35	352
	1: less than 135	% within SodiumSerum_Class	21.6%	9.1%	6.3%	11.9%	13.4%	27.8%	9.9%	100.0%
	2: 135 - 145	1: less than 135								
	3: more than 145	2: 135 - 145								
		3: more than 145								
		% within Age Classification	56.3%	52.5%	43.1%	39.6%	37.6%	39.2%	40.7%	43.2%
	% of Total	9.3%	3.9%	2.7%	5.2%	5.8%	12.0%	4.3%	43.2%	
SodiumSerum_Class	2	Count	54	27	28	62	75	150	50	446
	1: less than 135	% within SodiumSerum_Class	12.1%	6.1%	6.3%	13.9%	16.8%	33.6%	11.2%	100.0%
	2: 135 - 145	1: less than 135								
	3: more than 145	2: 135 - 145								
		3: more than 145								

	% within Age_Classification	40.0%	44.3%	54.9%	58.5%	60.0%	60.0%	58.1%	54.8%
	% of Total	6.6%	3.3%	3.4%	7.6%	9.2%	18.4%	6.1%	54.8%
3	Count	5	2	1	2	3	2	1	16
	% within SodiumSerum_Class	31.3%	12.5%	6.3%	12.5%	18.8%	12.5%	6.3%	100.0%
	1: less than 135								
	2: 135 - 145								
	3: more than 145								
	% within Age_Classification	3.7%	3.3%	2.0%	1.9%	2.4%	0.8%	1.2%	2.0%
	% of Total	0.6%	0.2%	0.1%	0.2%	0.4%	0.2%	0.1%	2.0%
Total	Count	135	61	51	106	125	250	86	814
	% within SodiumSerum_Class	16.6%	7.5%	6.3%	13.0%	15.4%	30.7%	10.6%	100.0%
	1: less than 135								
	2: 135 - 145								
	% within Age_Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	16.6%	7.5%	6.3%	13.0%	15.4%	30.7%	10.6%	100.0%




Complications according to age Class

any complication through staying at hospital

Yes (1)

No (0) * Age_ Classification Crosstabulation


		Age_ Classification							Total		
		Age_1 (<2 years)	Age_1 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)			
any complication through staying at hospital Yes (1) No (0)	0	Count	111	51	57	93	94	163	40	609	
		% within any complication through staying at hospital	18.2%	8.4%	9.4%	15.3%	15.4%	26.8%	6.6%	100.0%	
		% within Age_ Classification	53.9%	51.5%	66.3%	66.4%	64.4%	56.4%	42.1%	57.4%	
		% of Total	10.5%	4.8%	5.4%	8.8%	8.9%	15.4%	3.8%	57.4%	
		1	Count	95	48	29	47	52	126	55	452
		% within any complication through staying at hospital	21.0%	10.6%	6.4%	10.4%	11.5%	27.9%	12.2%	100.0%	
	% within Age_ Classification	46.1%	48.5%	33.7%	33.6%	35.6%	43.6%	57.9%	42.6%		
	% of Total	9.0%	4.5%	2.7%	4.4%	4.9%	11.9%	5.2%	42.6%		
Total		Count	206	99	86	140	146	289	95	1061	
		% within any complication through staying at hospital	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%	
		% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
		% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%	
		No (0)									



Sever Dehydration * Age_ Classification Crosstabulation

		Age_ Classification							Total	
		Age_1 (<2 years)	Age_1 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)		
Sever Dehydration	0	Count	164	73	75	124	135	245	69	885
		% within Sever Dehydration	18.5%	8.2%	8.5%	14.0%	15.3%	27.7%	7.8%	100.0%
		% within Age_ Classification	79.6%	73.7%	87.2%	88.6%	92.5%	84.8%	72.6%	83.4%
		% of Total	15.5%	6.9%	7.1%	11.7%	12.7%	23.1%	6.5%	83.4%
	1	Count	41	26	11	15	11	43	26	173
		% within Sever Dehydration	23.7%	15.0%	6.4%	8.7%	6.4%	24.9%	15.0%	100.0%
		% within Age_ Classification	19.9%	26.3%	12.8%	10.7%	7.5%	14.9%	27.4%	16.3%
		% of Total	3.9%	2.5%	1.0%	1.4%	1.0%	4.1%	2.5%	16.3%
	4	Count	1	0	0	1	0	1	0	3
		% within Sever Dehydration	33.3%	0.0%	0.0%	33.3%	0.0%	33.3%	0.0%	100.0%
		% within Age_ Classification	0.5%	0.0%	0.0%	0.7%	0.0%	0.3%	0.0%	0.3%
		% of Total	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.3%
Total	Count	206	99	86	140	146	289	95	1061	
	% within Sever Dehydration	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%	


% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%



Electrolyte Imbalance * Age_ Classification Crosstabulation


		Age_ Classification							Total	
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)		
Electrolyte Imbalance	0	Count	141	64	62	110	107	217	61	762
		% within Electrolyte Imbalance	18.5%	8.4%	8.1%	14.4%	14.0%	28.5%	8.0%	100.0%
		% within Age_ Classification	68.4%	64.6%	72.1%	78.6%	73.3%	75.1%	64.2%	71.8%
		% of Total	13.3%	6.0%	5.8%	10.4%	10.1%	20.5%	5.7%	71.8%
Electrolyte Imbalance	1	Count	65	35	24	30	39	72	34	299
		% within Electrolyte Imbalance	21.7%	11.7%	8.0%	10.0%	13.0%	24.1%	11.4%	100.0%
		% within Age_ Classification	31.6%	35.4%	27.9%	21.4%	26.7%	24.9%	35.8%	28.2%
		% of Total	6.1%	3.3%	2.3%	2.8%	3.7%	6.8%	3.2%	28.2%
Total	Count	206	99	86	140	146	289	95	1061	
	% within Electrolyte Imbalance	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%	
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	

% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%
------------	-------	------	------	-------	-------	-------	------	--------




Acute Kidney Injury * Age_ Classification Crosstabulation

		Age_ Classification								
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)	Total	
Acute Kidney Injury	0	Count	199	95	79	134	141	251	57	956
		% within Acute Kidney Injury	20.8%	9.9%	8.3%	14.0%	14.7%	26.3%	6.0%	100.0%
		% within Age_ Classification	96.6%	96.0%	91.9%	95.7%	96.6%	86.9%	60.0%	90.1%
		% of Total	18.8%	9.0%	7.4%	12.6%	13.3%	23.7%	5.4%	90.1%
	1	Count	7	4	7	6	5	38	38	105
		% within Acute Kidney Injury	6.7%	3.8%	6.7%	5.7%	4.8%	36.2%	36.2%	100.0%
		% within Age_ Classification	3.4%	4.0%	8.1%	4.3%	3.4%	13.1%	40.0%	9.9%
		% of Total	0.7%	0.4%	0.7%	0.6%	0.5%	3.6%	3.6%	9.9%
Total	Count	206	99	86	140	146	289	95	1061	
	% within Acute Kidney Injury	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%	
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
	% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%	




Shock * Age_ Classification Crosstabulation

Shock		Age_ Classification							Total
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)	
0	Count	200	95	85	139	144	283	94	1040
	% within Shock	19.2%	9.1%	8.2%	13.4%	13.8%	27.2%	9.0%	100.0%
	% within Age_ Classification	97.1%	96.0%	98.8%	99.3%	98.6%	97.9%	98.9%	98.0%
	% of Total	18.9%	9.0%	8.0%	13.1%	13.6%	26.7%	8.9%	98.0%
1	Count	6	4	1	1	2	6	1	21
	% within Shock	28.6%	19.0%	4.8%	4.8%	9.5%	28.6%	4.8%	100.0%
	% within Age_ Classification	2.9%	4.0%	1.2%	0.7%	1.4%	2.1%	1.1%	2.0%
	% of Total	0.6%	0.4%	0.1%	0.1%	0.2%	0.6%	0.1%	2.0%
Total	Count	206	99	86	140	146	289	95	1061
	% within Shock	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%




Hypoglycemia * Age_ Classification Crosstabulation

		Age_ Classification							Total	
		Age_1 (<2 years)	Age_1 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)		
Hypoglycemia	0	Count	199	98	85	136	140	280	91	1029
		% within Hypoglycemia	19.3%	9.5%	8.3%	13.2%	13.6%	27.2%	8.8%	100.0%
		% within Age_ Classification	96.6%	99.0%	98.8%	97.1%	95.9%	96.9%	95.8%	97.0%
		% of Total	18.8%	9.2%	8.0%	12.8%	13.2%	26.4%	8.6%	97.0%
	1	Count	7	1	1	4	6	9	4	32
		% within Hypoglycemia	21.9%	3.1%	3.1%	12.5%	18.8%	28.1%	12.5%	100.0%
		% within Age_ Classification	3.4%	1.0%	1.2%	2.9%	4.1%	3.1%	4.2%	3.0%
		% of Total	0.7%	0.1%	0.1%	0.4%	0.6%	0.8%	0.4%	3.0%
Total	Count	206	99	86	140	146	289	95	1061	
	% within Hypoglycemia	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%	
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	
	% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%	



Other * Age_ Classification Crosstabulation


		Age_ Classification							Total	
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)		
Other	0	Count	199	96	86	139	145	284	93	1042
		% within Other	19.1%	9.2%	8.3%	13.3%	13.9%	27.3%	8.9%	100.0%
		% within Age_ Classification	96.6%	97.0%	100.0%	99.3%	99.3%	98.3%	97.9%	98.2%
		% of Total	18.8%	9.0%	8.1%	13.1%	13.7%	26.8%	8.8%	98.2%
Other	1	Count	7	3	0	1	1	5	2	19
		% within Other	36.8%	15.8%	0.0%	5.3%	5.3%	26.3%	10.5%	100.0%
		% within Age_ Classification	3.4%	3.0%	0.0%	0.7%	0.7%	1.7%	2.1%	1.8%
		% of Total	0.7%	0.3%	0.0%	0.1%	0.1%	0.5%	0.2%	1.8%
Total		Count	206	99	86	140	146	289	95	1061
		% within Other	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%
		% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
		% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%



Patient Health at discharge * Age_ Classification Crosstabulation

		Age_ Classification							Total	
		Age_1 (<2 years)	Age_1 (2 -5 years)	Age_3 (5 - 10 years)	Age_4 (10 - 18 years)	Age_5 (18 -30 years)	Age_6 (30 - 60 years)	Age_7 (>60 years)		
Patient Health at discharge	Bad	Count	4	0	1	2	2	8	7	24
		% within Patient Health at discharge	16.7%	0.0%	4.2%	8.3%	8.3%	33.3%	29.2%	100.0%
		% within Age_ Classification	1.9%	0.0%	1.2%	1.4%	1.4%	2.8%	7.4%	2.3%
		% of Total	0.4%	0.0%	0.1%	0.2%	0.2%	0.8%	0.7%	2.3%
	Die	Count	1	2	0	0	0	0	1	4
		% within Patient Health at discharge	25.0%	50.0%	0.0%	0.0%	0.0%	0.0%	25.0%	100.0%
		% within Age_ Classification	0.5%	2.0%	0.0%	0.0%	0.0%	0.0%	1.1%	0.4%
		% of Total	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.4%
	Good	Count	181	88	77	115	110	210	65	846
		% within Patient Health at discharge	21.4%	10.4%	9.1%	13.6%	13.0%	24.8%	7.7%	100.0%
		% within Age_ Classification	87.9%	88.9%	89.5%	82.1%	75.3%	72.7%	68.4%	79.7%
		% of Total	17.1%	8.3%	7.3%	10.8%	10.4%	19.8%	6.1%	79.7%

Moderate	Count	20	9	8	23	34	71	22	187
	% within Patient Health at discharge	10.7%	4.8%	4.3%	12.3%	18.2%	38.0%	11.8%	100.0%
	% within Age_ Classification	9.7%	9.1%	9.3%	16.4%	23.3%	24.6%	23.2%	17.6%
	% of Total	1.9%	0.8%	0.8%	2.2%	3.2%	6.7%	2.1%	17.6%
Total	Count	206	99	86	140	146	289	95	1061
	% within Patient Health at discharge	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%



Patient Health after two weeks - one month from the admission * Age_ Classification Crosstabulation

		Age_ Classification						Total	
		Age_1 (<2 years)	Age_1 (2-5 years)	Age_3 (5-10 years)	Age_4 (10-18 years)	Age_5 (18-30 years)	Age_6 (30-60 years)	Age_7 (>60 years)	Total
Patient Health after two weeks from the admission	Count	0	2	0	0	0	0	0	2
	% within Patient Health after two weeks from the admission	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	100.0%

	% within Age_ Classification	0.0%	2.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	% of Total	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Bad	Count	5	1	2	3	0	17	8	36
	% within Patient Health after two weeks from the admission	13.9%	2.8%	5.6%	8.3%	0.0%	47.2%	22.2%	100.0%
	% within Age_ Classification	2.4%	1.0%	2.3%	2.1%	0.0%	5.9%	8.4%	3.4%
	% of Total	0.5%	0.1%	0.2%	0.3%	0.0%	1.6%	0.8%	3.4%
Die	Count	3	2	0	0	0	1	4	10
	% within Patient Health after two weeks from the admission	30.0%	20.0%	0.0%	0.0%	0.0%	10.0%	40.0%	100.0%
	% within Age_ Classification	1.5%	2.0%	0.0%	0.0%	0.0%	0.3%	4.2%	0.9%
	% of Total	0.3%	0.2%	0.0%	0.0%	0.0%	0.1%	0.4%	0.9%
Good	Count	169	88	74	112	119	230	66	858
	% within Patient Health after two weeks from the admission	19.7%	10.3%	8.6%	13.1%	13.9%	26.8%	7.7%	100.0%
	% within Age_ Classification	82.0%	88.9%	86.0%	80.0%	81.5%	79.6%	69.5%	80.9%
	% of Total	15.9%	8.3%	7.0%	10.6%	11.2%	21.7%	6.2%	80.9%
Moderate	Count	29	6	10	25	27	41	17	155
	% within Patient Health after two weeks from the admission	18.7%	3.9%	6.5%	16.1%	17.4%	26.5%	11.0%	100.0%
	% within Age_ Classification	14.1%	6.1%	11.6%	17.9%	18.5%	14.2%	17.9%	14.6%
	% of Total	2.7%	0.6%	0.9%	2.4%	2.5%	3.9%	1.6%	14.6%
Total	Count	206	99	86	140	146	289	95	1061
	% within Patient Health after two weeks from the admission	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%
	% within Age_ Classification	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
	% of Total	19.4%	9.3%	8.1%	13.2%	13.8%	27.2%	9.0%	100.0%

