## Attributes prior to age 2 used to train the models:

ATTRIBUTE DESCRIPTION

Abdomen\_Exam Physical exam of abdomen performed

Abuse\_Concern Tracks screening and evaluation for possible abuse any\_household\_members\_smoke Any household members smoke in the house arms\_length\_around\_water Adults are at arms length when child around water

baby left alone could fall Baby is left alone on a high surface where it could roll off and fall.

Back\_Exam Physical exam of abdomen performed

back\_seat\_of\_bicycle Child ever rides on the back seat of an adult bicycle

breast\_feeding\_help\_needed Help required for breast\_feeding
BREASTFED Whether mother is breastfeeding

burns\_knowledge Whether a parent knows what to do if their child is burned Car\_Seat\_Inspection Asks whether parent has obtained a car seat inspection Car\_Seat\_Position\_0-1 Whether caregiver understands correct car seat position carries hot liquids Whether a child is carried by caregiver with hot liquids

Chest/Lungs\_Exam Physical exam of chest and lungs performed Cholesterol\_Screen Tracks cholesterol screening for pediatrics

Corrected Vision Whether vision was corrected by contacts or glasses when tested

Counseling Patient education counseling topic Patient education topic

cutting food bite size Whether a child's food is cut into small, thin pieces

Dental\_Advice Dental care advice provided by pediatrician

Developmental\_Referral Documents the status of a developmental referral

Tracks domestic violence screening and management

doors\_secure Whether doors in the house are secure against a child opening them

EarlyCowMilkIntro Assesses early cow milk iron deficiency anemia risk factor

Ears/Hearing\_Exam Physical exam of ears and hearing performed empty\_container\_after\_use Parents empty baths and containers after use

Information relating to the environment and exposures that

ENVIRONMENTAL HISTORY influence a child's life

ExtGenitalia\_Exam Physical exam of external genitalia performed
Extremities\_Exam Physical exam of extremities performed
Eyes/Vision Exam Physical exam of eyes and vision performed

family\_substance\_abuse GAPS variable holds if patient's family members abuse alcohol or drugs

Feed\_at\_Night Baby feeds at night

fhx\_deafness
firearms\_at\_home
firearms kept unloaded

Records a family history of deafness
Firearms are in the child's home
Firearms at home are stored safely

firearms where visits Parent knows if guns are in homes where their child visits

FLU INJECT CHICA Influenza vaccine given

Fluoride\_supplemented Whether a child is receiving fluoride supplementation

gender Child's gender

General\_Exam General physical exam performed

has\_smoke\_detector Family has smoke detector

has\_stairway\_gates Whether there are gates on stairs

has\_window\_guards Whether the house has window guards installed.

Head\_Exam Physical exam of head performed
Hearing Left Left side hearing assessment from PSF
Hearing Right Right side hearing assessment from PSF

HearL1000 Left ear at 1000db HearL2500 Left ear at 2500db HearL500 Left ear at 500db HearL5000 Left ear at 5000db HearR1000 Right ear at 1000db HearR2500 Right ear at 2500db HearR500 Right ear at 500db HearR5000 Right ear at 5000db

Heart/Pulses\_Exam Physical exam of heart and pulses performed
HiPbSibFriend Child has a friend or sibling with hi lead levels
hot\_water\_heater\_adjusted Whether heater is adjusted appropriately
HouseBltPre1950 Child lives in a house built before 1950
household\_products\_out\_of\_reach Household chemicals out of child's reach
Immune\_Compromise Child's immune system is compromised

Insurance Type of insurance covering child

IRON DEFICIENCY SCREEN - Assessment of child's iron deficiency status, collected

QUALITATIVE through questioning of family, child.

IronDeficiencyRisk

Risk for iron deficiency and subsequent anemia

JIT hand out given

Just In Time patient handout given to family

Whether parent knows how to save choking child

Left alone in water

Child has ever been left alone in or pear water

left\_alone\_in\_water Child has ever been left alone in or near water

LowBirthWeight <2500 gms birthweight LowLiteracyRisk Parent has low literacy

low iron formula

lye\_drain\_cleaners\_in\_house Whether lye drain cleaner is in the home matches lighters safe Matches and lighters kept out of reach

Parental depression status, including parent reported

Maternal Depression Concern symptoms of depression from the PHQ-2 ultra-brief depression screener [2]

Medical Developmental Eval Keeps track of ASQ medical developmental evaluation

MEDICATION ALLERGIES Allergies to medication

MEDICATION ALLERGIES CAREWEB

Allergies to medication sent to EMR

NBS\_Repeated

Newborn Screening report required

NEGATIVE ENVIRONMENTAL HISTORY A medical record of pertinent negatives about a child's environment.

Risk factors related to a child's nutrition status that weren't present

Whether child has been consistently fed a non-iron fortified formula

NEGATIVE NUTRITION HISTORY upon direct questioning of family or the child themselves.

General risk factors and findings related to a patient's medical

NEGATIVE PAST MEDICAL HISTORY status found not to be present.

Neuro\_Exam Physical neurologic exam performed

NoBP Child did not cooperate for blood pressure screening

Nodes\_Exam Physical exam of nodes performed

NoHearing Child did not cooperate for hearing screening

normal\_newborn\_screen Normal newborn screening recorded

Nose/Throat\_Exam Physical exam of nose and throat performed NoVision Child did not cooperate for vision screening

NUTRITION HISTORY Risk factors related to nutrition problems, such as iron deficiency anemia.

OBESE\_BEFORE\_12mo

OBESE\_BEFORE\_18mo

OBESE\_BEFORE\_24mo

OBESE\_BEFORE\_22mo

OBESE\_BEFORE\_2mo

OBESE\_BEFORE\_2mo

OBESE\_BEFORE\_6mo

Weight percentile >= 95 before 24 months old

Weight percentile >= 95 before 2 months old

Weight percentile >= 95 before 6 months old

Oral\_Exam Physical oral exam performed

OVERWEIGHT\_BEFORE\_12mo

OVERWEIGHT\_BEFORE\_18mo

OVERWEIGHT\_BEFORE\_24mo

OVERWEIGHT\_BEFORE\_24mo

OVERWEIGHT\_BEFORE\_2mo

OVERWEIGHT\_BEFORE\_2mo

OVERWEIGHT\_BEFORE\_6mo

Weight percentile >= 85 before 24 months old

Weight percentile >= 85 before 2 months old

Weight percentile >= 85 before 6 months old

Response to a screening question which assesses any presence of

PAIN QUALITATIVE pain for a given patient.

Response to a screening question which assesses any presence of

PAIN QUALITATIVE CAREWEB pain for a given patient sent to EMR
PAIN QUANTITATIVE Physician-scored assessment of pain level
Parents\_Confident\_Filling\_Out\_Forms Parent is confident filling out medical forms

Parents Need Help Reading Parent needs help reading forms

PAST MEDICAL HISTORY CHICA General risk factors and findings related to a patient's medical status.

Patient\_Education Type of patient education given
PatientHandout Patient education handout given

plastic\_wrappers\_secured Whether plastic wrappers are secured and out of reach

play\_area\_cooking Whether the child has a safe play area for when an adult is cooking

play\_area\_fenced Whether a child's play area is fenced.

play\_equipment\_protected Whether play equipment has proper protection underneath.

plays\_dangerous\_items Child plays with dangerous items.

poison\_center\_on\_phone Whether the Poison center number is on the phone

pool\_at\_house Pool at the house

A qualitative PPD test result collected through questioning, direct

PPD - QUALITATIVE observation.
PPD\_Result PPD results

Family's preferred language determined by language used to answer

preferred\_language prescreener form Child is born premature.

prescribed\_birth\_control Provider prescribed birth control.

PSFSickleCell Parents identify their child as having sickle cell disease

PWS READ ERROR Error when reading physician worksheet

PWSSickleCell Physician verified diagnosis of sickle cell disease.

Qualitative\_Blood\_Lead A semi-quantitative description of the blood lead level

race Patient race status

referral Referral for services given by clinician

RenovatedPre78 Child lives in a house built before 1978, which is undergoing renovation

risk\_based\_hearing\_screen Child is sent for a risk-based hearing screen.

ROR\_Books\_Given Reach out and read books given

safety\_caps\_on\_bottles Whether safety caps are on appropriate bottles

safety\_latches\_installed Whether safety latches are installed on cabinets and drawers

seen\_dentist Child has seen a dentist recently

sharp\_edged\_furniture Whether the house has sharp-edged furniture.

sickle cell prophylaxis Child receiving antibiotic prophylaxis for Sickle cell disease.

Skin Exam Physical exam of skin performed

sleeps\_unsafe\_soft\_surface Child sleeps on beanbag, waterbed, or other soft surface

slept\_on\_stomach\_ever Whether baby has ever slept on stomach

smoking\_study\_arm Smoking Cessation Study arm

taking\_medications Child is currently taking medications taking\_solid\_food Whether a child is being fed solid foods

TALL\_BEFORE\_12mo

TALL\_BEFORE\_18mo

TALL\_BEFORE\_24mo

TALL\_BEFORE\_24mo

TALL\_BEFORE\_22mo

TALL\_BEFORE\_2mo

TALL\_BEFORE\_6mo

TALL\_BEFORE\_6mo

TB\_Risk

Teeth/Gums Exam

Height percentile >= 85 before 12 months old
Height percentile >= 85 before 24 months old
Height percentile >= 85 before 2 months old
Theight percentile >= 85 before 6 months old
Theight percentile >= 85 before 6 months old
Theight percentile >= 85 before 6 months old
Theight percentile >= 85 before 2 months old

Ten\_Childrens\_Books\_In\_Home Child has at least 10 children's books tested smoke detector Family checks detector monthly

Tooth erupted Child has a tooth

TV\_advice Clinician advice about limiting TV
TV in Room Child has a TV in their room

TV over 2Hrs Child watches more than 2 hrs of TV per day

Uses\_Bottle Child uses a bottle

uses walker Whether child users a walker or not

VENOUS BLOOD LEAD - QUALITATIVE Lead test ordered by physician to measure serum lead level.

VERY\_TALL\_BEFORE\_12mo

VERY\_TALL\_BEFORE\_18mo

VERY\_TALL\_BEFORE\_24mo

VERY\_TALL\_BEFORE\_24mo

VERY\_TALL\_BEFORE\_2mo

VERY\_TALL\_BEFORE\_2mo

VERY\_TALL\_BEFORE\_6mo

Height percentile >= 95 before 2 months old

Height percentile >= 95 before 2 months old

Height percentile >= 95 before 6 months old

Tracks children's progress through vision screen testing and

VisionScreen subsequent referrals.

VisitType The type of clinical visit for a patient (well, sick, etc.).

Watches\_TV Child watches TV

wears bike helmet Whether child wears bike helmet

well\_water Describes whether a child receives their water from a well.

WICMember Identifies that the child is currently a member of the WIC program.